Department of Geoscience Faculty Research Areas




Critical Zone Hydrology

- Dr. Hannes Bauser
- Assistant Professor
- Department of Geoscience
- Email: hannes.bauser@unlv.edu
- Website: https://geoscience.unlv.edu/people/department-faculty/hannes-bauser/

- Vadose Zone Hydrology and Soil Physics
- Hydrologic Modeling
- Data Assimilation
- Machine Learning



Hydrologic Scaling Challenge



How can we use data science (e.g., data assimilation, machine learning) to combine process understanding and data to solve the hydrologic scaling challenge?



Forest Inventory and Analysis

- Dr. Brenda J Buck
- Professor
- Department of Geoscience
- Email: Brenda.Buck@unlv.edu
- Website: https://unlv-fia.github.io/UNLV-FIA-Group/index.html



- University partner to USDA-FIA. Area of emphasis is information management research and development to optimize the storage, delivery, and display of forest inventory data.
- The support we provide helps policy makers, land stewards and non-governmental groups base decisions and assessments related to the health, diversity, and productivity of U.S. forests and grasslands on scientifically credible information.




Medical Geology

- Dr. Brenda J Buck
- Professor
- Department of Geoscience
- Email: Brenda.Buck@unlv.edu

Expertise

 Expertise: Health effects of mineral dust; Asbestos; Heavy Metals; Soil Science/Geology









Materials Deformation

Dr. Pamela Burnley

Department of Geoscience

Phone: (702) 895-5460


Email: pamela.burnley@unlv.edu

Expertise:

High Pressure Rock Deformation




High Pressure studies of Deformation and the Acoustoelastic effect




High Pressure studies of Deformation and the Acoustoelastic effect

Compression- and shear-wave velocities are a function of compressive stress




(Traylor, Whitaker & Burnley, in prep)


Details of multiple slip systems derived from a single multi step experiment




Raman spectroscopic measurements of stress distribution











sample






Peak shifts converted to sample stress using single crystal measurements




Interaction of Phase

Transformation and Deformation



- Growth of spinel in metastable olivine creates mechanical instability
- New microstructural analysis clarifies nature of instability



Electron Backscatter Diffraction
Orientation Image Map
(Burnley et al., in prep)

Radioactive Materials and Radiation

Dr. Pamela Burnley

Department of Geoscience

Phone: (702) 895-5460


Email: pamela.burnley@unlv.edu

Expertise:

Gamma ray background radiation




γ-ray Background Radiation



- Predictive model based on legacy NURE data & geologic map units
- Most points within 1μR/hr
- Largest deviations associated with steep topography
- Led to D. Haber's PhD research on topographic corrections


Difference between AMS flight data and predictive model






γ-ray Background Radiation

AMS flight data Cameron, AZ




Difference between AMS data and model



Highlights Uranium mines

Model based on ASTER data, NURE survey & geologic map







(Adcock et al. 2019)

Aqueous Geochemistry and Astrobiology

- Dr. Elisabeth (Libby) Hausrath
- Professor
- Department of Geoscience
- Email: Elisabeth.Hausrath@unlv.edu
- Website: https://hausrath.faculty.unlv.edu/

- Using laboratory experiments, field work, and modeling to interpret water-rock interactions and soil-forming processes on Earth and Mars
- Interpreting the signatures of past aqueous and biological impacts on minerals
- Participating Scientist on the Mars Science Laboratory Curiosity and the Mars2020 rover Perseverance and member of the Network for Life Detection (NFOLD) Steering Committee..



Holes made by sampling soil on Mars




Image credit: NASA/JPL-Caltech

https://mars.nasa.gov/news/9311/nasas-perseverance-rover-gets-the-dirt-on-mars/#:~:text=The%20mission's%20first%20two%20samples,prepare%20for%20future%20missions%20there.



Sedimentary Geology

Dr. Ganqing Jiang

Professor

Department of Geoscience

Phone: (702) 895-2708

Email: Ganqing.Jiang@unlv.edu


Expertise:

Sequence and chemostratigraphy sedimentology Carbonate diagenesis












- Sequence and chemostratigraphy
- Paleogeographic reconstruction
- Applications of stable isotopes and rare earth elements
- Paleoenvironmental change across major perturbations of the carbon cycle and mass extinctions





- Basin analyses and paleoceanography
- Fluid migration and carbonate diagenesis
- Tracing fluid migration in sedimentary basins using stable isotopes and trace elements
- Carbonate aquifer





Hydrology

- Dr. David K. Kreamer
- Professor
- Department of Geoscience
- Email: dave.kreamer@unlv.edu
- Website: https://geoscience.unlv.edu/people/department-faculty/david-k-kreamer/


- Hydrologist, Water Quantity and Quality
- Research in Groundwater Tracing and Dating in National Parks and Preserves, Surface Water/ Groundwater interactions, Spring Sustainability
- Research in Hazardous Site Characterization and Remediation
- International Water Development and Security
- Climate Change Research Lake Studies
- Expert Witness in Court Cases, Testimony to United States Congress, Invited Address to the General Assembly of the United Nations
- President International Association of Hydrogeologists, largest truly international professional organization focused on the wise use and protection of groundwater. A scientific, educational, and charitable volunteer organization with thousands of members in over 130 countries, founded in 1956.
- National and International Lectures and Short Courses including presentations in the Middle East, Africa, Pacific Ocean, People's Republic of China, Europe, and United States






David K. Kreamer – Examples of Research and Service Interests











Groundwater Modeling Training, Niger, Africa



Climate Science and Paleoclimatology

Matthew S. Lachniet

Professor

Department of Geoscience


Phone 702-895-4388


Matthew.Lachniet@unlv.edu




Paleoclimatology

- Study of the causes, timing, and consequences of climate change on timescales ranging from decades to millennia
- Cause of aridity in the Great Basin and Western United States
- Influence of ocean temperatures on precipitation in Nevada
- Cave archives of past climate with sites in Nevada, Mexico,
 Central America, and elsewhere







Hydrology

Dr. Michael Nicholl

Department of Geoscience

Phone: (702) 895-4616


Email: michael.nicholl@unlv.edu

Expertise:


Unsaturated zone hydrology Fractured rock hydrology Environmental fluid mechanics



Fractured Rock Hydrology



False color image of a miscible displacement experiment in a single fracture





Field mapping of fracture networks blue dye (right foreground) is from an infiltration test




Isothermal flow across a single rock fracture (matrix-to-matrix flow)

- ☐ Two-phase flow and transport in fractured rock
- ☐ Laboratory experimentation, field mapping, numerical simulations
- ☐ Contaminant transport, geothermal energy, enhanced petroleum recovery

Unsaturated Porous Media








Millimeter-scale transport experiment



Hydraulic conductivity of a rock slab



Sampling Chloride as a proxy for root-driven horizontal flow



2D simulation of root-driven transport

- ☐ Challenging existing conceptual models for unsaturated and two-phase flow
- ☐ Design and execution of critical laboratory/field/numerical experiments

Environmental Geochemistry

Dr. Zach Perzan

- Assistant Professor
- Department of Geoscience
- Email: zach.perzan@unlv.edu
- Website: https://zperzan.github.io/


- Environmental geochemistry
- Surface water-groundwater hydrology
- Machine learning
- Uncertainty quantification
- Managed aquifer recharge






Understanding how hydrologic extremes (droughts and floods) impact water quality

Managed aquifer recharge



Geophysical surveys (top left) give us a 3D image of the distribution of sand, silt and clay within the subsurface (top right). We can then use hydrologic and geochemical models to understand how water (bottom left) and contaminants (bottom right) move through these sediments during a flood.

Floodplain biogeochemistry



Sensor arrays deployed in Colorado (top left) and Wyoming (top right) allow us to monitor sudden changes in water quality during floods. By pairing these with field experiments – such as tracer tests (bottom left) – we can develop data-driven water quality forecasts (bottom right).

Research Oliver Tschauner

- Dr. Oliver Tschauner
- Professor of Research
- Department Geoscience
- Email: oliver.Tschauner@unlv.edu
- Website: https://geoscience.unlv.edu/people/departmentfaculty/oliver-tschauner/

- Crystallography.
- Mineralogy.
- Physics and Chemistry at high pressure.
- Dynamic compression.



Natural diamond with CO₂ inclusions at a pressure of 20000 atmospheres



Selected Publications


- Discovery of davemaoite, CaSiO₃-perovskite as a mineral from the lower mantle. <u>O. Tschauner</u>, S. Huang, S. Yang, M. Humayun, W. Liu, S. N. Gilbert Corder, H. A. Bechtel, J. Tischler, G. R. Rossman, **Science** 374, 891-894 (2021).
- Ice-VII inclusions in diamonds evidence for aqueous fluid in the Earth's deep mantle <u>O. Tschauner</u>, S. Huang, E. Greenberg, V.B. Prakapenka, C. Ma, G. R. Rossman, A.H. Shen, M. Newville, A. Lanzirotti, K. Tait, **Science** 359, Issue: 6380, 1136 (2018) 10.1126/science.aao3030.
- Discovery of Bridgmanite the most abundant mineral in Earth, in a shocked meteorite, <u>O. Tschauner</u>, C. Ma, J. Beckett, C. Prescher, V. Prakapenka, G.Rossman, **Science** 346, 1100 (2014), DOI: 10.1126/science.1259369
- Is merrillite shock-transformed whitlockite? Implications for the water budget of Mars, C. Adcock, O. <u>Tschauner</u>. E. Hausrath, A. Udry, Y. Cai, S.N. Luo, **Nature Communications** 8, Article Number: 14667 (2017).
- Tissintite (Ca, Na, □) AlSi₂O₆, a Highly Defective, Shock-Induced, High-Pressure Pyroxene in the Tissint Martian Meteorite. Chi Ma, <u>Oliver Tschauner</u>, John Beckett, Yang Liu, George Rossman, Kirill Zuravlev, Vasili Prakapenka, Przemyslav Dera and Lawrence A. Taylor, **Earth Planet. Sci. Lett.** 422,194-205 (2015).
- Ahrensite, gamma-Fe₂SiO₄, a new shock-metamorphic mineral from the Tissint meteorite: Implications for the Tissint shock event on Mars. Ma, C.; <u>Tschauner, O.</u>; Beckett, J.R.; Liu, Y.; Rossman, G.R.; Sinogeikin, S.V.; Smith, J.S.; Taylor, L.A. **Geochim. Cosmochim. Acta** 184, 240-256 (2016). DOI: 10.1016/j.gca.2016.04.042
- Tschauner, O., Ma, C. (2023). Discovering High-Pressure and High-Temperature Minerals. In: Bindi, L., Cruciani, G. (eds) **Celebrating the International Year of Mineralogy. Springer Mineralogy.** Springer, Cham. https://doi.org/10.1007/978-3-031-28805-0 8




Paleoecology

- Dr. Carrie L. Tyler, Ph.D.
- Assistant Professor
- Department of Geoscience
- Email: carrie.tyler@unlv.edu
- Website: www.carrietyler.com

- Marine invertebrates
- Taphonomy
- Food webs
- Conservation Paleobiology
- Predation







Marine food web structure from the Bathonian Stage (168 mya) resembles a modern Jamaican reef, but not the ecosystem before or after it.

A better understanding of trophic position is needed for restoration planning, as communities may be so severely altered that restoring species or interactions may no longer be possible.


Banker et al. 2022 https://doi.org/10.3389/fevo.2022.983374

Fossil food webs before and after an invasion show changes in ecosystem dynamics, and invaders destabilized the ecosystem.

Conservation efforts may need to focus on preserving functional diversity if more diverse ecosystems are not inherently more stable.

Kempf et al. 2020

https://doi.org/10.1017/pab.2020.26





Planetary petrology

Dr. Arya Udry

- Department of Geoscience
- Phone: (702) 895-1239
- Email: arya.udry@unlv.edu
- Website: aryaudry.com

Expertise:


Planetary petrology Martian igneous geology



Martian geologic evolution using meteorites



Polarized thin section image of nakhlite meteorite MIL 090030



Processes that can be understood using meteorites (Udry et al. 2020)




193 nm Excimer
laser ablation
system —
Installed in 2021 to
analyze mineral
trace elements

- □ I use meteorites, the only samples that we possess from Mars, to better constrain the interior composition and evolution of this planet
- ☐ Bulk rock and mineral geochemical down to the ppm scale

Martian geologic evolution using rover analyses




Mars 2020 Perseverance and Ingenuity on Jezero crater – JPL/NASA image



Early Mars (e.g., Noachian, ≥ 3.7 Ga?)

- Hotter, thinner crust
- More crustal assimilation
- Enhanced magmatic evolution (more felsic and alkaline compositions)

*not to scale



Late Mars (e.g., Amazonian, ≤ 3 Ga?)

- Cooled, thickened, impacted crust (35-85 km average)¹
- Less crustal assimilation
- Less voluminous evolved magma

Piesa et al., 2019.

Models of magma on Mars (Ostwald et al., 2022)

- ☐ Thermodynamical modeling to understand formation of unique compositions of martian surface
- □ I am a participating scientist on the Mars2020 mission and I conduct modeling analyses to help understand the formation of magmatic rocks at Jezero crater